UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/725,147	12/01/2003	William L. Howat	CRD-5053	1765
27777 PHILIP S. JOH	7590 11/03/200 NSON	EXAMINER		
JOHNSON & J		SWEET, THOMAS		
ONE JOHNSON & JOHNSON PLAZA NEW BRUNSWICK, NJ 08933-7003			ART UNIT	PAPER NUMBER
			3774	
			MAIL DATE	DELIVERY MODE
			11/03/2008	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)				
	10/725,147	HOWAT ET AL.				
Office Action Summary	Examiner	Art Unit				
	Thomas J. Sweet	3774				
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address				
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).						
Status						
1) Responsive to communication(s) filed on 29 Ju	dv 2008.					
·= · · · · · · · · · · · · · · · · · ·	action is non-final.					
<i>,</i> —	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.						
Disposition of Claims						
4)⊠ Claim(s) <u>1,6-11 and 13-16</u> is/are pending in the application.						
4a) Of the above claim(s) <u>13-16</u> is/are withdrawn from consideration.						
5) Claim(s) is/are allowed.						
6)⊠ Claim(s) <u>1 and 6-11</u> is/are rejected.						
7) Claim(s) is/are objected to.						
8) Claim(s) are subject to restriction and/or	election requirement.					
Application Papers						
9) The specification is objected to by the Examiner.						
10) The drawing(s) filed on is/are: a) accepted or b) objected to by the Examiner.						
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).						
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.						
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).						
a) All b) Some * c) None of:						
1. ☐ Certified copies of the priority documents have been received.						
2. Certified copies of the priority documents have been received in Application No						
3. Copies of the certified copies of the priority documents have been received in Application No.						
application from the International Bureau (PCT Rule 17.2(a)).						
* See the attached detailed Office action for a list of the certified copies not received.						
Attachment(s)						
1) Notice of References Cited (PTO-892) 4) Interview Summary (PTO-413)						
2) Notice of Draftsperson's Patent Drawing Review (PTO-948) Paper No(s)/Mail Date						
3) Information Disclosure Statement(s) (PTO/SB/08) 5) Notice of Informal Patent Application 6) Other:						
Paper No(s)/Mail Date 6) Other:						

Art Unit: 3774

DETAILED ACTION

Response to Arguments

Applicant's arguments filed 07/29/2008 have been fully considered but they are not persuasive. The amendment to the claims did not define over the prior rejection as seen below.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 1 and 6-11 are rejected under 35 U.S.C. 103(a) as being unpatentable over Casey, II et al (USPAP 2004/0019375 A1) in view of Hoberman (4780344 or 5234727). Casey, II et al. disclose an implantable medical prosthesis for maintaining lumen patency with all the elements of claims 1 and 12 except for the pleats being formed about the radial direction of the graft See Figures 1 and 6 for a prosthesis (10) comprising a substantially cylindrical hollow body (11) having a distal end (14) and a proximal end (15). See [0005], [0025], [0026] and [0028] for the body (11) being formed from a self-supporting, non-metallic graft material and at least a portion of the graft material including a plurality of pleats (17) disposed in a Z pattern. The pattern provides radial support to the body (11) while maintaining flexibility in a tubular organ a distal anchor (61) having a substantially diamond shaped lattice structure formed from a self-expanding metallic material and a proximal anchor having a substantially diamond shaped lattice structure formed from a self-expanding metallic material [0031], the distal

Application/Control Number: 10/725,147

Art Unit: 3774

and proximal anchors having minimal overlap with the hollow body (only at the ends). While Casey, II et al does not provide a profile comprising a geometric pattern including Z pleats in a combination of a radial and longitudinal pattern on the graft, Hoberman teaches forming a profile comprising a geometric pattern including Z pleats in both the radial and longitudinal direction of the tubular device to optimize the elongation and expansion of the device along the longitudinal axis thereof. It would have been obvious to one with ordinary skill in the art to modify the pleats of Casey, II et al to extend both longitudinally and radially along the elongated axis of the tubular graft to allow for expansion in both the radial and longitudinal direction of the device.

Claims 6-8, see lines 4-6 of [0025] for the graft material being woven, non-woven or knitted.

Claims 9-11, see lines 18-20 of [0025] for the graft material including polyester, polypropylene or polyethylene.

Conclusion

This is a RCE of applicant's earlier Application No. 10/725147. All claims are drawn to the same invention claimed in the earlier application and could have been finally rejected on the grounds and art of record in the next Office action if they had been entered in the earlier application. Accordingly, **THIS ACTION IS MADE FINAL** even though it is a first action in this case. See MPEP § 706.07(b). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not

Art Unit: 3774

mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no, however, event will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Thomas J. Sweet whose telephone number is 571-272-4761. The examiner can normally be reached on 6:45am - 5:15pm, Tu-Th.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David J. Isabella can be reached on 571-272-4749. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Application/Control Number: 10/725,147

Page 5

Art Unit: 3774